



# 114991175 SEEED DEVELOPMENT LIMITED

**Buy Now** 



Looking for a discount?

**Check out our current promotions!** 

## Give us a call

1-855-837-4225

International: 1-415-281-3866

## **Email Us**

Sales and New Orders: <a href="mailto:sales@verical.com">sales@verical.com</a>


Order Support: <a href="mailto:support@verical.com">support@verical.com</a>

Suppliers: Visit our seller page

# **Company Address**

Arrow Electronics, Inc 9201 East Dry Creek Road Centennial, CO 80112

This coversheet was created by Verical, a division of Arrow Electronics, Inc. ("Verical"). The attached document was created by the part supplier, not Verical, and is provided strictly 'as is.' Verical, its subsidiaries, affiliates, employees, and agents make no representations or warranties regarding the attached document and disclaim any liability for the consequences of relying on the information therein. All referenced brands, product names, service names, and trademarks are the property of their respective owners.



Feedback & Ideas | Help

•Mini. Wokring Voltage: DC 4.5V

•Max. Working Current: 15mA (DC 5V)

•Working Voltage: DC 5V~15V

•Flow Rate Range: 1~30L/min

•Frequency: F=6.6\*Q(Q=L/MIN)

•Load Capacity: ≤10mA (DC 5V)

•Operating Temperature: ≤80°C

•Liquid Temperature: ≤120°C

•Operating Humidity: 35%~90%RH

•Water Pressure: ≤1.75MPa

•Storage Temperature: -25~+80°C •Storage Humidity: 25%~95%RH

**Part List** 

1 x YF-B5 water flow sensor

### **Best-sellers**










G1&8" Water Flow Sensor G5&4" Water Flow Sensor

#### **Technical Details**

G.W 131g Weight





PayPal VISA W W McAfee'

Select Language ▼

Contact Support

Copyright © 2008-2017 Seeed Development Limited All rights reserved